

The top-left portion of the page features a series of thin, light-brown lines that intersect to form several overlapping, irregular polygons. These lines create a complex, abstract geometric pattern that tapers towards the right side of the page.

CLINICAL REVIEW

MOBILEVAX

**UPDATED COVID-19
VACCINE GUIDLINES**





VACCINES ON SITE

ADULTS

MONOVALENT PFIZER

BIVALENT BOOSTERS PFIZER AND MODERNA

INFANTS

MONOVALENT PFIZER AND MODERNA

BIVALENT BOOSTER MODERNA ON SELECT SITES

PEDIATRICS

MONOVALENT PFIZER

BIVALENT BOOSTERS PFIZER AND MODERNA

WRISTBANDS

INFANT MODERNA: GREEN

PEDIATRIC PFIZER: ORANGE

ADOLESCENT/ADULT PFIZER: GRAY

ALL BOOSTERS: YELLOW



PFIZER

Infant Pfizer (6 months – 4 y/o)

Dose: 0.2 ML reconstituted with 2.2 ML, 3 doses

No bivalent booster or additional dose

Pediatric Pfizer (5 – 11 y/o)

Dose: 0.2 ML reconstituted with 1.3 ML, 2 doses

Bivalent booster and additional dose available

Adult Pfizer (12+)

Dose 0.3 ML

Bivalent booster and additional dose available

Bivalent Booster (5+)

Pediatric Pfizer (5-11 y/o): 0.2 ML reconstituted with 1.3 ML

Adult Pfizer (12+): 0.3 ML

PFIZER

INFANT/TODDLER DOSING
AGE: 6 MONTHS - 4 YEARS OLD
NO BOOSTERS OR ADDITIONAL DOSES

DOSE 1


DOSE 2

DOSE 3




PFIZER

PEDIATRIC DOSING AGE: 5 - 11 YEARS OLD



PFIZER

ADOLESCENT/ADULT DOSING AGE: 12 YEARS OLD+





MODERNA

Infant Moderna (6 months – 5 y/o)

Dose: 0.25 ML, 2 doses

Bivalent booster available on select sites only

Pediatric Moderna

Bivalent Boosters are available

Adult Moderna (18+)

Dose 0.5 ML

Bivalent boosters are available

Bivalent Booster (5+)

Pediatric Moderna (6-11 y/o): 0.25 ML

Adult Moderna (12+): 0.5 ML


MODERNA

INFANT/TODDLER DOSING AGE: 6 MONTHS - 5 YEARS OLD

CAN RECEIVE AN ADDITIONAL DOSE IF IMMUNOCOMPROMISED



IMMUNOCOMPROMISED PATIENTS:



MODERNA

Monovalent Vaccines no longer available. Bivalent Boosters still available

PEDIATRIC/ADOLESCENT DOSING AGE: 6 - 17 YEARS OLD

DOSE 1

DOSE 2

BIVALENT BOOSTER



28 DAYS



2 MONTHS



WE DO NOT ADMINISTER


WE DO NOT ADMINISTER

6-11 Y/O+: 0.25 ML
12+ Y/O+: 0.5 ML

MODERNA

MONOVALENT VACCINES NO LONGER AVAILABLE. BIVALENT BOOSTERS STILL AVAILABLE AT SITE

ADULT DOSING AGE: 18 YEARS OLD+



WHO CAN MIX AND MATCH BOOSTERS?

Booster guidelines are age dependent.

You are able to choose the booster based on your age.

- Patient 5 y/o: only eligible for Pfizer
- Patients 6 y/o +: eligible for Pfizer and Moderna

DISCONTINUED MONOVALENT VACCINES

- Moderna is discontinuing their monovalent COVID vaccines. Monovalent Moderna will no longer be available for pediatrics and adults.
- Johnson and Johnson is discontinuing their COVID vaccine. The Janssen vaccine will no longer be available on sites.

*We will continue to provide Monovalent Pfizer on sites and a series can be completed using Monovalent Pfizer.

WHO CAN GET A BIVALENT BOOSTER?

Updated Boosters Are Recommended

CDC recommends one updated (bivalent) booster dose:

- For everyone **aged 5 years and older** if it has been at least **2 months** since your last dose and your primary series I completed.
- **For children aged 6 months–4 years** who **completed the Moderna** primary series and if it has been at least **2 months** since their last dose.

There is no booster recommendation for children aged 6 months–4 years who got the Pfizer-BioNTech COVID-19 vaccine primary series.

everyone is eligible to get one bivalent booster, regardless of how many doses received in the past